

**SPACE CLOTH (CLEAR OPENING)**

Clear Opening or Space (Inches)	Wire Diameter		Open Area Percent	Material Weight - Pounds per Square Foot				
	Inches	mm		Plain Steel	304 SS	Pure Copper	80/20 80/20 Brass	Monel
4" x 4"	0.500	12.70	79.0%	3.58	3.62	4.06	3.96	4.02
4" x 4"	0.307	7.80	86.3%	2.77	2.80	3.14	3.06	3.11
4" x 4"	0.283	7.19	87.2%	2.07	2.09	2.35	2.29	2.32
4" x 4"	0.263	6.68	88.0%	1.45	1.46	1.64	1.60	1.63
4" x 4"	0.250	6.35	88.6%	0.94	0.95	1.07	1.04	1.05
3-3/4" x 3-3/4"	0.500	12.70	77.9%	3.79	3.83	4.30	4.19	4.25
3-3/4" x 3-3/4"	0.438	11.11	80.2%	2.94	2.97	3.33	3.25	3.30
3-3/4" x 3-3/4"	0.375	9.53	82.6%	2.19	2.21	2.48	2.42	2.46
3-3/4" x 3-3/4"	0.313	7.94	85.2%	1.54	1.56	1.75	1.70	1.73
3-3/4" x 3-3/4"	0.250	6.35	87.9%	1.00	1.01	1.13	1.11	1.12
3-1/2" x 3-1/2"	0.500	12.70	76.6%	4.03	4.07	4.57	4.45	4.52
3-1/2" x 3-1/2"	0.438	11.11	79.0%	3.13	3.16	3.55	3.46	3.51
3-1/2" x 3-1/2"	0.375	9.53	81.6%	2.33	2.35	2.64	2.57	2.61
3-1/2" x 3-1/2"	0.313	7.94	84.3%	1.65	1.67	1.87	1.82	1.85
3-1/2" x 3-1/2"	0.250	6.35	87.1%	1.07	1.08	1.21	1.18	1.20
3-1/4" x 3-1/4"	0.500	12.70	75.1%	4.31	4.35	4.89	4.76	4.84
3-1/4" x 3-1/4"	0.438	11.11	77.7%	3.35	3.38	3.80	3.70	3.76
3-1/4" x 3-1/4"	0.375	9.53	80.4%	2.50	2.52	2.83	2.76	2.81
3-1/4" x 3-1/4"	0.313	7.94	83.2%	1.76	1.78	1.99	1.94	1.97
3-1/4" x 3-1/4"	0.250	6.35	86.2%	1.15	1.16	1.30	1.27	1.29
3" x 3"	0.500	12.70	73.5%	4.62	4.67	5.24	5.11	5.18
3" x 3"	0.438	11.11	76.2%	3.59	3.63	4.07	3.97	4.03
3" x 3"	0.375	9.53	79.0%	2.68	2.71	3.04	2.96	3.01
3" x 3"	0.313	7.94	82.0%	1.90	1.92	2.15	2.10	2.13
3" x 3"	0.250	6.35	85.2%	1.23	1.24	1.39	1.36	1.38
2-3/4" x 2-3/4"	0.500	12.70	71.6%	4.98	5.03	5.64	5.50	5.59
2-3/4" x 2-3/4"	0.438	11.11	74.4%	3.88	3.92	4.40	4.29	4.35
2-3/4" x 2-3/4"	0.375	9.53	77.4%	2.90	2.93	3.29	3.20	3.25
2-3/4" x 2-3/4"	0.313	7.94	80.6%	2.05	2.07	2.32	2.27	2.30
2-3/4" x 2-3/4"	0.250	6.35	84.0%	1.34	1.35	1.52	1.48	1.50
2-1/2" x 2-1/2"	0.500	12.70	69.4%	5.41	5.46	6.13	5.98	6.07
2-1/2" x 2-1/2"	0.438	11.11	72.4%	4.22	4.26	4.78	4.66	4.73
2-1/2" x 2-1/2"	0.375	9.53	75.6%	3.16	3.19	3.58	3.49	3.55
2-1/2" x 2-1/2"	0.313	7.94	79.0%	2.24	2.26	2.54	2.48	2.51
2-1/2" x 2-1/2"	0.250	6.35	82.6%	1.46	1.47	1.65	1.61	1.64
2-1/4" x 2-1/4"	0.500	12.70	66.9%	5.91	5.97	6.70	6.53	6.63
2-1/4" x 2-1/4"	0.438	11.11	70.1%	4.62	4.67	5.24	5.11	5.18
2-1/4" x 2-1/4"	0.375	9.53	73.5%	3.46	3.49	3.92	3.82	3.88
2-1/4" x 2-1/4"	0.313	7.94	77.1%	2.46	2.48	2.79	2.72	2.76
2-1/4" x 2-1/4"	0.250	6.35	81.0%	1.61	1.63	1.82	1.78	1.81

**SPACE CLOTH (CLEAR OPENING)**

Clear Opening or Space (Inches)	Wire Diameter		Open Area Percent	Material Weight - Pounds per Square Foot				
	Inches	mm		Plain Steel	304 SS	Pure Copper	80/20 80/20 Brass	Monel
2-1/4" x 2-1/4"	0.225	5.72	82.6%	1.31	1.32	1.48	1.45	1.47
2-1/4" x 2-1/4"	0.207	5.26	83.9%	1.12	1.13	1.27	1.24	1.26
2" x 2"	0.500	12.70	64.0%	6.53	6.59	7.40	7.22	7.33
2" x 2"	0.438	11.11	67.3%	5.11	5.16	5.79	5.65	5.73
2" x 2"	0.375	9.53	70.9%	3.84	3.88	4.35	4.24	4.31
2" x 2"	0.313	7.94	74.8%	2.73	2.76	3.09	3.02	3.06
2" x 2"	0.250	6.35	79.0%	1.79	1.81	2.03	1.98	2.01
2" x 2"	0.225	5.72	80.8%	1.46	1.47	1.65	1.61	1.64
2" x 2"	0.207	5.26	82.1%	1.25	1.26	1.42	1.38	1.40
2" x 2"	0.192	4.88	83.2%	1.08	1.09	1.22	1.19	1.21
1-3/4" x 1-3/4"	0.500	12.70	60.5%	7.29	7.36	8.26	8.06	8.18
1-3/4" x 1-3/4"	0.438	11.11	64.0%	5.71	5.77	6.47	6.31	6.41
1-3/4" x 1-3/4"	0.375	9.53	67.8%	4.30	4.34	4.87	4.75	4.82
1-3/4" x 1-3/4"	0.313	7.94	72.0%	3.07	3.10	3.48	3.39	3.44
1-3/4" x 1-3/4"	0.250	6.35	76.6%	2.02	2.04	2.29	2.23	2.27
1-3/4" x 1-3/4"	0.225	5.72	78.5%	1.65	1.67	1.87	1.82	1.85
1-3/4" x 1-3/4"	0.207	5.26	80.0%	1.41	1.42	1.60	1.56	1.58
1-3/4" x 1-3/4"	0.192	4.88	81.2%	1.22	1.23	1.38	1.35	1.37
1-3/4" x 1-3/4"	0.177	4.50	82.5%	1.04	1.05	1.18	1.15	1.17
1-1/2" x 1-1/2"	0.500	12.70	56.3%	8.25	8.33	9.35	9.12	9.26
1-1/2" x 1-1/2"	0.438	11.11	59.9%	6.48	6.54	7.35	7.16	7.27
1-1/2" x 1-1/2"	0.375	9.53	64.0%	4.90	4.95	5.55	5.41	5.50
1-1/2" x 1-1/2"	0.313	7.94	68.5%	3.50	3.53	3.97	3.87	3.93
1-1/2" x 1-1/2"	0.250	6.35	73.5%	2.31	2.33	2.62	2.55	2.59
1-1/2" x 1-1/2"	0.225	5.72	75.6%	1.89	1.91	2.14	2.09	2.12
1-1/2" x 1-1/2"	0.207	5.26	77.2%	1.62	1.64	1.84	1.79	1.82
1-1/2" x 1-1/2"	0.192	4.88	78.6%	1.40	1.41	1.59	1.55	1.57
1-1/2" x 1-1/2"	0.177	4.50	80.0%	1.20	1.21	1.36	1.33	1.35
1-3/8" x 1-3/8"	0.500	12.70	53.8%	8.83	8.92	10.01	9.76	9.91
1-3/8" x 1-3/8"	0.438	11.11	57.6%	6.95	7.02	7.88	7.68	7.80
1-3/8" x 1-3/8"	0.375	9.53	61.7%	5.26	5.31	5.96	5.81	5.90
1-3/8" x 1-3/8"	0.313	7.94	66.4%	3.77	3.81	4.27	4.17	4.23
1-3/8" x 1-3/8"	0.250	6.35	71.6%	2.49	2.51	2.82	2.75	2.79
1-3/8" x 1-3/8"	0.225	5.72	73.9%	2.04	2.06	2.31	2.25	2.29
1-3/8" x 1-3/8"	0.207	5.26	75.5%	1.75	1.77	1.98	1.93	1.96
1-3/8" x 1-3/8"	0.192	4.88	77.0%	1.52	1.53	1.72	1.68	1.71
1-3/8" x 1-3/8"	0.177	4.50	78.5%	1.30	1.31	1.47	1.44	1.46
1-3/8" x 1-3/8"	0.162	4.11	80.0%	1.10	1.11	1.25	1.22	1.23
1-1/4" x 1-1/4"	0.500	12.70	51.0%	9.51	9.60	10.78	10.51	10.67
1-1/4" x 1-1/4"	0.438	11.11	54.9%	7.50	7.57	8.50	8.29	8.42
1-1/4" x 1-1/4"	0.375	9.53	59.2%	5.69	5.75	6.45	6.29	6.38
1-1/4" x 1-1/4"	0.313	7.94	64.0%	4.08	4.12	4.62	4.51	4.58
1-1/4" x 1-1/4"	0.250	6.35	69.4%	2.70	2.73	3.06	2.98	3.03

**SPACE CLOTH (CLEAR OPENING)**

Clear Opening or Space (Inches)	Wire Diameter		Open Area Percent	Material Weight - Pounds per Square Foot				
	Inches	mm		Plain Steel	304 SS	Pure Copper	80/20 80/20 Brass	Monel
1-1/4" x 1-1/4"	0.225	5.72	71.8%	2.22	2.24	2.52	2.45	2.49
1-1/4" x 1-1/4"	0.207	5.26	73.6%	1.90	1.92	2.15	2.10	2.13
1-1/4" x 1-1/4"	0.192	4.88	75.1%	1.65	1.67	1.87	1.82	1.85
1-1/4" x 1-1/4"	0.177	4.50	76.7%	1.42	1.43	1.61	1.57	1.59
1-1/4" x 1-1/4"	0.162	4.11	78.4%	1.20	1.21	1.36	1.33	1.35
1-1/4" x 1-1/4"	0.148	3.76	79.9%	1.01	1.02	1.14	1.12	1.13
1-1/8" x 1-1/8"	0.500	12.70	47.9%	10.30	10.40	11.68	11.38	11.56
1-1/8" x 1-1/8"	0.438	11.11	51.8%	8.14	8.22	9.23	9.00	9.13
1-1/8" x 1-1/8"	0.375	9.53	56.3%	6.19	6.25	7.02	6.84	6.95
1-1/8" x 1-1/8"	0.313	7.94	61.2%	4.45	4.49	5.04	4.92	4.99
1-1/8" x 1-1/8"	0.250	6.35	66.9%	2.96	2.99	3.36	3.27	3.32
1-1/8" x 1-1/8"	0.225	5.72	69.4%	2.43	2.45	2.75	2.69	2.73
1-1/8" x 1-1/8"	0.207	5.26	71.3%	2.08	2.10	2.36	2.30	2.33
1-1/8" x 1-1/8"	0.192	4.88	73.0%	1.81	1.83	2.05	2.00	2.03
1-1/8" x 1-1/8"	0.177	4.50	74.7%	1.55	1.57	1.76	1.71	1.74
1-1/8" x 1-1/8"	0.162	4.11	76.4%	1.32	1.33	1.50	1.46	1.48
1-1/8" x 1-1/8"	0.148	3.76	78.1%	1.11	1.12	1.26	1.23	1.25
1-1/8" x 1-1/8"	0.135	3.43	79.7%	0.93	0.94	1.05	1.03	1.04
1" x 1"	0.500	12.70	44.4%	11.25	11.36	12.75	12.43	12.62
1" x 1"	0.438	11.11	48.4%	8.91	9.00	10.10	9.85	10.00
1" x 1"	0.375	9.53	52.9%	6.79	6.86	7.70	7.50	7.62
1" x 1"	0.313	7.94	58.0%	4.90	4.95	5.55	5.41	5.50
1" x 1"	0.250	6.35	64.0%	3.26	3.29	3.70	3.60	3.66
1" x 1"	0.225	5.72	66.6%	2.69	2.72	3.05	2.97	3.02
1" x 1"	0.207	5.26	68.6%	2.31	2.33	2.62	2.55	2.59
1" x 1"	0.192	4.88	70.4%	2.01	2.03	2.28	2.22	2.26
1" x 1"	0.177	4.50	72.2%	1.72	1.74	1.95	1.90	1.93
1" x 1"	0.162	4.11	74.1%	1.46	1.47	1.65	1.61	1.64
1" x 1"	0.148	3.76	75.9%	1.23	1.24	1.39	1.36	1.38
1" x 1"	0.135	3.43	77.6%	1.04	1.05	1.18	1.15	1.17
1" x 1"	0.120	3.05	79.7%	0.83	0.84	0.94	0.92	0.93
7/8" x 7/8"	0.438	11.11	44.4%	9.84	9.94	11.15	10.87	11.04
7/8" x 7/8"	0.375	9.53	49.0%	7.52	7.59	8.52	8.31	8.44
7/8" x 7/8"	0.313	7.94	54.3%	5.44	5.49	6.17	6.01	6.10
7/8" x 7/8"	0.250	6.35	60.5%	3.64	3.68	4.13	4.02	4.08
7/8" x 7/8"	0.225	5.72	63.3%	3.01	3.04	3.41	3.33	3.38
7/8" x 7/8"	0.207	5.26	65.4%	2.58	2.61	2.92	2.85	2.89
7/8" x 7/8"	0.192	4.88	67.2%	2.25	2.27	2.55	2.49	2.52
7/8" x 7/8"	0.177	4.50	69.2%	1.93	1.95	2.19	2.13	2.17
7/8" x 7/8"	0.162	4.11	71.2%	1.64	1.66	1.86	1.81	1.84
7/8" x 7/8"	0.148	3.76	73.2%	1.38	1.39	1.56	1.53	1.55
7/8" x 7/8"	0.135	3.43	75.1%	1.17	1.18	1.33	1.29	1.31
7/8" x 7/8"	0.120	3.05	77.3%	0.93	0.94	1.05	1.03	1.04
3/4" x 3/4"	0.375	9.53	44.4%	8.44	8.52	9.57	9.33	9.47

**SPACE CLOTH (CLEAR OPENING)**

Clear Opening or Space (Inches)	Wire Diameter		Open Area Percent	Material Weight - Pounds per Square Foot				
	Inches	mm		Plain Steel	304 SS	Pure Copper	80/20 80/20 Brass	Monel
3/4" x 3/4"	0.313	7.94	49.8%	6.13	6.19	6.95	6.77	6.88
3/4" x 3/4"	0.250	6.35	56.3%	4.12	4.16	4.67	4.55	4.62
3/4" x 3/4"	0.225	5.72	59.2%	3.41	3.44	3.87	3.77	3.83
3/4" x 3/4"	0.207	5.26	61.4%	2.93	2.96	3.32	3.24	3.29
3/4" x 3/4"	0.192	4.88	63.4%	2.56	2.59	2.90	2.83	2.87
3/4" x 3/4"	0.177	4.50	65.5%	2.20	2.22	2.49	2.43	2.47
3/4" x 3/4"	0.162	4.11	67.6%	1.87	1.89	2.12	2.07	2.10
3/4" x 3/4"	0.148	3.76	69.8%	1.58	1.60	1.79	1.75	1.77
3/4" x 3/4"	0.135	3.43	71.8%	1.33	1.34	1.51	1.47	1.49
3/4" x 3/4"	0.120	3.05	74.3%	1.07	1.08	1.21	1.18	1.20
5/8" x 5/8"	0.375	9.53	39.1%	9.61	9.70	10.89	10.62	10.78
5/8" x 5/8"	0.313	7.94	44.4%	7.03	7.10	7.97	7.77	7.89
5/8" x 5/8"	0.250	6.35	51.0%	4.76	4.81	5.40	5.26	5.34
5/8" x 5/8"	0.225	5.72	54.1%	3.94	3.98	4.47	4.35	4.42
5/8" x 5/8"	0.207	5.26	56.4%	3.40	3.43	3.85	3.76	3.81
5/8" x 5/8"	0.192	4.88	58.5%	2.97	3.00	3.37	3.28	3.33
5/8" x 5/8"	0.177	4.50	60.7%	2.56	2.59	2.90	2.83	2.87
5/8" x 5/8"	0.162	4.11	63.1%	2.18	2.20	2.47	2.41	2.45
5/8" x 5/8"	0.148	3.76	65.4%	1.85	1.87	2.10	2.04	2.08
5/8" x 5/8"	0.135	3.43	67.6%	1.56	1.58	1.77	1.72	1.75
5/8" x 5/8"	0.120	3.05	70.4%	1.25	1.26	1.42	1.38	1.40
5/8" x 5/8"	0.105	2.67	73.3%	0.98	0.99	1.11	1.08	1.10
1/2" x 1/2"	0.375	9.53	32.7%	11.19	11.30	12.68	12.37	12.56
1/2" x 1/2"	0.313	7.94	37.9%	8.24	8.32	9.34	9.11	9.25
1/2" x 1/2"	0.250	6.35	44.4%	5.62	5.68	6.37	6.21	6.31
1/2" x 1/2"	0.225	5.72	47.6%	4.68	4.73	5.30	5.17	5.25
1/2" x 1/2"	0.207	5.26	50.0%	4.04	4.08	4.58	4.46	4.53
1/2" x 1/2"	0.192	4.88	52.2%	3.54	3.57	4.01	3.91	3.97
1/2" x 1/2"	0.177	4.50	54.5%	3.06	3.09	3.47	3.38	3.43
1/2" x 1/2"	0.162	4.11	57.0%	2.61	2.64	2.96	2.88	2.93
1/2" x 1/2"	0.148	3.76	59.5%	2.22	2.24	2.52	2.45	2.49
1/2" x 1/2"	0.135	3.43	62.0%	1.88	1.90	2.13	2.08	2.11
1/2" x 1/2"	0.120	3.05	65.0%	1.51	1.52	1.71	1.67	1.69
1/2" x 1/2"	0.105	2.67	68.3%	1.18	1.19	1.34	1.30	1.32
7/16" x 7/16"	0.313	7.94	34.0%	9.03	9.12	10.24	9.98	10.13
7/16" x 7/16"	0.250	6.35	40.5%	6.19	6.25	7.02	6.84	6.95
7/16" x 7/16"	0.225	5.72	43.6%	5.16	5.21	5.85	5.70	5.79
7/16" x 7/16"	0.207	5.26	46.1%	4.47	4.51	5.07	4.94	5.02
7/16" x 7/16"	0.192	4.88	48.3%	3.92	3.96	4.44	4.33	4.40
7/16" x 7/16"	0.177	4.50	50.7%	3.40	3.43	3.85	3.76	3.81
7/16" x 7/16"	0.162	4.11	53.3%	2.90	2.93	3.29	3.20	3.25
7/16" x 7/16"	0.148	3.76	55.8%	2.47	2.49	2.80	2.73	2.77
7/16" x 7/16"	0.135	3.43	58.4%	2.09	2.11	2.37	2.31	2.34
7/16" x 7/16"	0.120	3.05	61.6%	1.69	1.71	1.92	1.87	1.90
7/16" x 7/16"	0.105	2.67	65.0%	1.33	1.34	1.51	1.47	1.49

**SPACE CLOTH (CLEAR OPENING)**

Clear Opening or Space (Inches)	Wire Diameter		Open Area Percent	Material Weight - Pounds per Square Foot				
	Inches	mm		Plain Steel	304 SS	Pure Copper	80/20 80/20 Brass	Monel
3/8" x 3/8"	0.313	7.94	29.8%	9.99	10.09	11.32	11.04	11.21
3/8" x 3/8"	0.250	6.35	36.0%	6.89	6.96	7.81	7.61	7.73
3/8" x 3/8"	0.225	5.72	39.1%	5.77	5.83	6.54	6.38	6.47
3/8" x 3/8"	0.207	5.26	41.5%	5.00	5.05	5.67	5.53	5.61
3/8" x 3/8"	0.192	4.88	43.7%	4.39	4.43	4.98	4.85	4.93
3/8" x 3/8"	0.177	4.50	46.2%	3.82	3.86	4.33	4.22	4.29
3/8" x 3/8"	0.162	4.11	48.8%	3.27	3.30	3.71	3.61	3.67
3/8" x 3/8"	0.148	3.76	51.4%	2.79	2.82	3.16	3.08	3.13
3/8" x 3/8"	0.135	3.43	54.1%	2.37	2.39	2.69	2.62	2.66
3/8" x 3/8"	0.120	3.05	57.4%	1.92	1.94	2.18	2.12	2.15
3/8" x 3/8"	0.105	2.67	61.0%	1.51	1.52	1.71	1.67	1.69
3/8" x 3/8"	0.092	2.34	64.5%	1.18	1.19	1.34	1.30	1.32
5/16" x 5/16"	0.250	6.35	30.9%	7.78	7.86	8.82	8.60	8.73
5/16" x 5/16"	0.225	5.72	33.8%	6.53	6.59	7.40	7.22	7.33
5/16" x 5/16"	0.207	5.26	36.2%	5.68	5.74	6.44	6.28	6.37
5/16" x 5/16"	0.192	4.88	38.4%	5.00	5.05	5.67	5.53	5.61
5/16" x 5/16"	0.177	4.50	40.8%	4.36	4.40	4.94	4.82	4.89
5/16" x 5/16"	0.162	4.11	43.4%	3.74	3.78	4.24	4.13	4.20
5/16" x 5/16"	0.148	3.76	46.1%	3.20	3.23	3.63	3.54	3.59
5/16" x 5/16"	0.135	3.43	48.8%	2.72	2.75	3.08	3.01	3.05
5/16" x 5/16"	0.120	3.05	52.2%	2.21	2.23	2.51	2.44	2.48
5/16" x 5/16"	0.105	2.67	56.0%	1.74	1.76	1.97	1.92	1.95
5/16" x 5/16"	0.092	2.34	59.7%	1.37	1.38	1.55	1.51	1.54
5/16" x 5/16"	0.080	2.03	63.4%	1.07	1.08	1.21	1.18	1.20
1/4" x 1/4"	0.250	6.35	25.0%	8.50	8.58	9.63	9.39	9.54
1/4" x 1/4"	0.225	5.72	27.7%	7.55	7.62	8.56	8.34	8.47
1/4" x 1/4"	0.207	5.26	29.9%	6.59	6.65	7.47	7.28	7.39
1/4" x 1/4"	0.192	4.88	32.0%	5.82	5.88	6.60	6.43	6.53
1/4" x 1/4"	0.177	4.50	34.3%	5.08	5.13	5.76	5.61	5.70
1/4" x 1/4"	0.162	4.11	36.8%	4.38	4.42	4.96	4.84	4.91
1/4" x 1/4"	0.148	3.76	39.5%	3.76	3.80	4.26	4.16	4.22
1/4" x 1/4"	0.135	3.43	42.2%	3.21	3.24	3.64	3.55	3.60
1/4" x 1/4"	0.120	3.05	45.7%	2.62	2.65	2.97	2.90	2.94
1/4" x 1/4"	0.105	2.67	49.6%	2.07	2.09	2.35	2.29	2.32
1/4" x 1/4"	0.092	2.34	53.4%	1.64	1.66	1.86	1.81	1.84
1/4" x 1/4"	0.080	2.03	57.4%	1.28	1.29	1.45	1.41	1.44
1/4" x 1/4"	0.072	1.83	60.3%	1.06	1.07	1.20	1.17	1.19
3/16" x 3/16"	0.192	4.88	24.3%	6.97	7.04	7.90	7.70	7.82
3/16" x 3/16"	0.177	4.50	26.4%	6.12	6.18	6.94	6.76	6.87
3/16" x 3/16"	0.162	4.11	28.7%	5.30	5.35	6.01	5.86	5.95
3/16" x 3/16"	0.148	3.76	31.2%	4.57	4.61	5.18	5.05	5.13
3/16" x 3/16"	0.135	3.43	33.7%	3.92	3.96	4.44	4.33	4.40
3/16" x 3/16"	0.120	3.05	37.1%	3.22	3.25	3.65	3.56	3.61
3/16" x 3/16"	0.105	2.67	41.0%	2.56	2.59	2.90	2.83	2.87

**SPACE CLOTH (CLEAR OPENING)**

Clear Opening or Space (Inches)	Wire Diameter		Open Area Percent	Material Weight - Pounds per Square Foot				
	Inches	mm		Plain Steel	304 SS	Pure Copper	80/20 80/20 Brass	Monel
3/16" x 3/16"	0.092	2.34	44.9%	2.04	2.06	2.31	2.25	2.29
3/16" x 3/16"	0.080	2.03	49.1%	1.60	1.62	1.81	1.77	1.80
3/16" x 3/16"	0.072	1.83	52.1%	1.33	1.34	1.51	1.47	1.49
3/16" x 3/16"	0.063	1.60	56.0%	1.05	1.06	1.19	1.16	1.18
1/8" x 1/8"	0.120	3.05	26.0%	4.19	4.23	4.75	4.63	4.70
1/8" x 1/8"	0.105	2.67	29.5%	3.37	3.40	3.82	3.72	3.78
1/8" x 1/8"	0.092	2.34	33.2%	2.71	2.74	3.07	2.99	3.04
1/8" x 1/8"	0.080	2.03	37.2%	2.15	2.17	2.44	2.38	2.41
1/8" x 1/8"	0.072	1.83	40.3%	1.79	1.81	2.03	1.98	2.01
1/8" x 1/8"	0.063	1.60	44.2%	1.43	1.44	1.62	1.58	1.60
1/8" x 1/8"	0.054	1.37	48.8%	1.09	1.10	1.24	1.20	1.22
1/8" x 1/8"	0.047	1.19	52.8%	0.85	0.86	0.96	0.94	0.95
1/8" x 1/8"	0.041	1.04	56.7%	0.67	0.68	0.76	0.74	0.75